


**RECKLI**  

---

**artico**®






- 
- ⑥ RECKLI artico® neo
  - ⑩ Inspiration
  - ⑳ RECKLI artico® neo Design
  - ㉔ RECKLI artico® neo Individual
  - ㉘ Imprint





A black and white photograph of a building's facade. The image is dominated by strong, dark shadows cast across the light-colored wall, creating a high-contrast, geometric pattern. The shadows appear to be cast from architectural elements like windows or overhangs, creating a sense of depth and texture. The overall mood is dramatic and architectural.

The façade is the external appearance of a building. It is visible without revealing what is inside. It can excite, shock, inspire. It can tell a story, arouse curiosity. It can reveal the hidden and highlight the purpose of a building.

RECKLI


artico<sup>®</sup>

neo


RECKLI artico® neo complements the creative freedom for architectural concrete with an essential component. Photos, images, individual designs and graphics can be made visible with this procedure – regardless of lighting conditions. That is why RECKLI artico® neo is also perfectly suited for use in interiors.

## The process is simple:

RECKLI artico® neo is a plastic foil on which graphics or photos are printed with a high quality concrete activator. The concrete activator causes the concrete to set at a delayed time so that it can be washed out on the surface after demolding. The uppermost cement skin is partially removed. The contrast between the washed out and smooth surfaces makes the graphics or photos visible. The foils are intended for single use.









---

3 The concrete is poured into the mold.




---

4 Once the concrete has hardened, the concrete element can be demolded.



---

5 The foil is simply removed from the concrete element and the concrete is washed out with a high-pressure cleaner.



---

6 The interplay of washed out and smooth surfaces makes the design visible.

NEO  
NEO  
NEO

NEO  
NEO  
NEO

NEO  
NEO  
NEO

NEO  
NEO  
NEO

NEO  
NEO  
NEO

NEO  
NEO  
NEO

























9

artico® neo Design  
PASSTTSCHO







# WELCOMED TO THE FUTURE


③

artico® neo Design  
CUBES

# RECKLI


# artico<sup>®</sup>

Design






With our artico neo Design Collection, we present motifs which are available as standard offering. With a maximum size of 3.10m × 25m we supply these designs in rolls. The sheets can easily be cut on site to the desired size. The designs can be repeated both horizontally and vertically.




⑩

artico® neo Design  
BUBBLE TEA


① BE SQUARED




② CUPCAKES




③ CUBES




④ FLOWER POWER





⑤

HONEY BEES



⑥

DRIP DROPS



⑦

METRO




⑧


FLAMES OF PARADISE




⑨ PASSTSCHO




⑩ BUBBLE TEA




⑪ CASKET




⑫ GAME CONTROL






13

BIG DATA




14

STONEHENGE



15

KNITTING NEEDLES



16


ZIPPER

# RECKLI


---

# artico®

---




Individual







Your custom design or photo is printed in the max. dimension of 3.10m × 25m on a plastic foil (sized 3.15m × 25m) and cut to the desired size.




We prepare the files and send a visualization upon request. Photos are fragmented into halftone dots just like in newspaper printing. Their size depends on the reference image and the viewing distance and is defined by project specifics.

We can also produce sample films for a fee. In this way, the precast factory can optimize their concrete formula.

Once produced, designs can be reordered at any time. Due to the efficient manufacturing process, there are no setup costs.

The process requires tif-, jpeg- or bmp files. For this application PDF files are not well suited.







Architectural  
concrete with a  
depth effect:  
light-independent  
visualization of  
photos and graphics  
in the concrete  
surface. For unlimited  
freedom of design.











RECKLI artico® neo

Version 01

July 2018

Publisher

Reckli GmbH, [www.reckli.de](http://www.reckli.de)

Gewerkenstraße 9a, 44628 Herne, Deutschland

T +49 2323 17060, F +49 2323 170650

Dr. Bernd Trompeter (Managing Director)

Lutz Hammer (Head of Marketing), [marketing@reckli.de](mailto:marketing@reckli.de)

Corinna Uphaus (Marketing Assistant), [marketing@reckli.de](mailto:marketing@reckli.de)

Responsible Agency

ONEWORX GmbH, [www.oneworx.de](http://www.oneworx.de)

Mathildenstraße 15a, 45130 Essen, Deutschland

Ina Bunge (Art Direction), [ina.bunge@oneworx.de](mailto:ina.bunge@oneworx.de)

Carsten Nierobisch (Art Direction), [carsten.nierobisch@oneworx.de](mailto:carsten.nierobisch@oneworx.de)

3D-Visualization

S. 12 ipd3d, [www.ipd3d.com](http://www.ipd3d.com)

S. 14/15 ipd3d, [www.ipd3d.com](http://www.ipd3d.com)

Printing

becker druck F.W. Becker GmbH, [www.becker-druck-verlag.de](http://www.becker-druck-verlag.de)

Grafenstraße 46, 59821 Arnsberg

NEO  
NEO  
NEO  
NEO  
NEO

