

## 2/163 Fraser

A horizontally running wood pattern with irregularly joining boards. The front- and back-lying elements enliven the façade.

### Dimensions

Series	Uses	Dimensions (mm)	Ordernumber
C	100	▶ 9650 × ▲ 992	C2163
F	50	▶ 6000 × ▲ 1000	F2163

#### 100

100-timer formliners are supplied in an individual dimension within the maximum indicated sizes.

#### 50


The specified width of the 50-timer formliner is a fixed dimension and ensures the continuity of the structure in the case of linear patterns. The longitudinal direction of the pattern is variable and can be ordered from 1 m up to the maximum dimension in 10 cm steps.

Please note: The drawing shows the formliner, not the concrete view.



### Section Drawing

The drawing illustrates the cross-section of our formliner.




## Profile Continuity

Profile continuity is guaranteed at the respective maximum dimensions of the formliner.

Joint lines may occur when sections are joined. Visibility varies depending on the pattern.

Please note: The drawing shows the formliner, not the concrete view.



**Important note:** To guarantee homogeneity of the concrete surface, it is not recommended to mix the series.

## Material

MATERIAL	RECKLI PUR-Elastomer
TEMPERATURE LIMIT	max. 65 °C
WEIGHT	≈ 12 kg/m <sup>2</sup>
DIMENSIONAL TOLERANCES	See Formliner Properties page for details

## Contact

Are you an architect, planner or user looking for information materials or personal contact? Would you like to order a sample? We will be happy to respond to your individual inquiry.

[info@reckli.com](mailto:info@reckli.com)

+49 2323 1706-0

### **RECKLI GmbH**

Industriestraße 36

44628 Herne

Germany